



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
1	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	24	0	100%
2	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	-	Fail	0%
3	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	-	Fail	0%
Code snapshots of some failed elements					
<ul style="list-style-type: none">• <code><h1></h1></code>					
4	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
5	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	1	10	9%

Code snapshots of some successful elements

- `<input type="submit" value="Submit now" class="wpcf7-form-control wpcf7-submit" >`



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

Code snapshots of some failed elements

- `<div class="icon-box" > <i class=" flaticon-search51 "></i> </div>`
- `<a >Carriers`
- `<a >Resources`
- `<a >Contact Us`
- `<a >News`
- `<div class="tp-caption rev-btn rev-withicon noSwipe rs-hover-ready" id="slide-13-layer-13" data-x="['right','right','right','center']" data-hoffset="['325','325','325','0']" data-y="['top','top','top','top']" data-voffset="['432','432','432','472']"...`
- `<div class="tp-caption rev-btn rev-withicon noSwipe rs-hover-ready" id="slide-13-layer-12" data-x="['right','right','right','center']" data-hoffset="['120','120','120','0']" data-y="['top','top','top','top']" data-voffset="['432','432','432','536']"...`
- `<div class="owl-dot active" ></div>`
- `<div class="owl-dot" ></div>`

6	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	7	4	64%
---	---	-----	---	---	-----

Code snapshots of some successful elements

- `<a >Carriers`
- `<a >Resources`
- `<a >Contact Us`
- `<a >News`



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
	<ul style="list-style-type: none"> <code><div class="tp-caption rev-btn rev-withicon noSwipe rs-hover-ready" id="slide-13-layer-13" data-x=["right','right','right','center']" data-hoffset=["325','325','325','0']" data-y=["top','top','top','top']" data-voffset=["432','432','432','472']"...</code> <code><div class="tp-caption rev-btn rev-withicon noSwipe rs-hover-ready" id="slide-13-layer-12" data-x=["right','right','right','center']" data-hoffset=["120','120','120','0']" data-y=["top','top','top','top']" data-voffset=["432','432','432','536']"...</code> <code><input type="submit" value="Submit now" class="wpcf7-form-control wpcf7-submit" ></code> 				

Code snapshots of some failed elements

- `<div class="icon-box" > <i class=" flaticon-search51 "></i> </div>`
- `<div class="owl-dot active" ></div>`
- `<div class="owl-dot" ></div>`

7	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	No	0	0	-
8	Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	35	0	100%



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

Code snapshots of some failed elements

- `<input type="text" name="your-name" value="" size="40" class="wpcf7-form-control wpcf7-text wpcf7-validates-as-required" aria-required="true" aria-invalid="false" placeholder="Name">`
- `<input type="email" name="your-email" value="" size="40" class="wpcf7-form-control wpcf7-text wpcf7-email wpcf7-validates-as-required wpcf7-validates-as-email" aria-required="true" aria-invalid="false" placeholder="Email">`
- `<input type="text" name="your-subject" value="" size="40" class="wpcf7-form-control wpcf7-text wpcf7-validates-as-required" aria-required="true" aria-invalid="false" placeholder="Subject">`
- `<textarea name="your-message" cols="40" rows="10" class="wpcf7-form-control wpcf7-textarea wpcf7-validates-as-required" aria-required="true" aria-invalid="false" placeholder="Message"></textarea>`

10	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
11	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
12	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	Yes	3	3	50%

Code snapshots of some successful elements

- `<input type="text" name="your-name" value="" size="40" class="wpcf7-form-control wpcf7-text wpcf7-validates-as-required" aria-required="true" aria-invalid="false" placeholder="Name">`
- `<input type="email" name="your-email" value="" size="40" class="wpcf7-form-control wpcf7-text wpcf7-email wpcf7-validates-as-required wpcf7-validates-as-email" aria-required="true" aria-invalid="false" placeholder="Email">`



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

Requirement Relevant Successes Failures Score

- `<input type="text" name="your-subject" value="" size="40" class="wpcf7-form-control wpcf7-text wpcf7-validates-as-required" aria-required="true" aria-invalid="false" placeholder="Subject">`

Code snapshots of some failed elements

- `<input type="text" name="your-name" value="" size="40" class="wpcf7-form-control wpcf7-text wpcf7-validates-as-required" aria-required="true" aria-invalid="false" placeholder="Name">`
- `<input type="email" name="your-email" value="" size="40" class="wpcf7-form-control wpcf7-text wpcf7-email wpcf7-validates-as-required wpcf7-validates-as-email" aria-required="true" aria-invalid="false" placeholder="Email">`
- `<input type="text" name="your-subject" value="" size="40" class="wpcf7-form-control wpcf7-text wpcf7-validates-as-required" aria-required="true" aria-invalid="false" placeholder="Subject">`

13	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	-
14	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
15	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

Code snapshots of some successful elements

- `<form action="/#wpcf7-f393-p230-o1" method="post" class="wpcf7-form init" novalidate="novalidate" data-status="init"> <div style="display: none;" > <input type="hidden" name="_wpcf7" value="393" ><input type="hidden" name="_wpcf7_version" value="5.4"...`

16	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	0	6	0%
----	---	-----	---	---	----

Code snapshots of some failed elements

- `<div class="icon-box" > <i class=" flaticon-search51 "></i> </div>`
- `<div class="tp-caption rev-btn rev-withicon noSwipe rs-hover-ready" id="slide-13-layer-13" data-x="['right','right','right','center']" data-hoffset="['325','325','325','0']" data-y="['top','top','top','top']" data-voffset="['432','432','432','472']"...`
- `<div class="tp-caption rev-btn rev-withicon noSwipe rs-hover-ready" id="slide-13-layer-12" data-x="['right','right','right','center']" data-hoffset="['120','120','120','0']" data-y="['top','top','top','top']" data-voffset="['432','432','432','536']"...`
- `<div class="owl-dot active" ></div>`
- `<div class="owl-dot" ></div>`

17	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
----	---	-----	------	---	------

18	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	-	Fail	0%
----	---	-----	---	------	----



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
19	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
20	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
21	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
22	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	65	48	58%



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

Code snapshots of some failed elements

- `800-388-7947`
- `Who We Are`
- `Services and Equipment`
- `<a >Carriers`
- `<a >Resources`
- `<a >Contact Us`
- `<a >News`
- `COVID-19`
- `<div class="tp-caption tp-resizeme" id="slide-13-layer-1" data-x="['right','right','right','center']" data-hoffset="['120','120','120','0']" data-y="['top','top','top','top']" data-voffset="['212','212','212','209']" data-width="none" data-height="..."`
- `<div class="tp-caption tp-resizeme" id="slide-13-layer-5" data-x="['right','right','right','center']" data-hoffset="['120','120','120','0']" data-y="['top','top','top','top']" data-voffset="['260','260','260','266']" data-width="none" data-height="..."`

23	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
24	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
25	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
26	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
27	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-

28	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	Yes	-	Fail	0%
----	---	-----	---	------	----

Code snapshots of some failed elements

- `<div class="tp-bgimg defaultimg" style="background-color: rgba(0, 0, 0, 0); background-repeat: no-repeat; background-image: url("https://www.allconnect.ca/wp-content/uploads/2018/03/allconnect-value-banner.jpg"); background-size: cover; bac...`

29	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	15	33	31%
----	---	-----	----	----	-----

Code snapshots of some successful elements

- `<i class="fa fa-bars" ></i>`
- ``
- `<i class="fa fa-long-arrow-right" ></i>`



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

Code snapshots of some failed elements

- `<i class=" "></i>`
- `<i class=" icon icon-Phone2 "></i>`
- `<i class=" flaticon-search51 "></i>`
- `<i class="fa-icon-chevron-right"></i>`
- `<i class="fa-icon-chevron-right" ></i>`
- `<i class="fa fa-arrow-right"></i>`
- `<i class="fa fa-paper-plane"></i>`
- `<i class="fa fa-sun-o"></i>`
- `<i class="fa fa-cube"></i>`
- `<i class="fa fa-truck"></i>`

30	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	1	18	5%
----	--	-----	---	----	----

Code snapshots of some successful elements

- ``



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

Code snapshots of some failed elements

- ``
- ``
- ``
- ``
- ``
- ``
- ``
- ``
- ``
- ``



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
31	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
32	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
33	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	Yes	0	4	0%

Code snapshots of some failed elements

- `<figure class="wpb_wrapper vc_figure"><div class="vc_single_image-wrapper vc_box_border_grey"><div class="vc_single_image-wrapper vc_box_border_grey"><div class="vc_single_image-wrapper vc_box_border_grey"><div class="vc_single_image-wrapper vc_box_border_grey">The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.</p> <p>Code snapshots of some successful elements</p> <ul style="list-style-type: none"><meta name="viewport" content="width=device-width, initial-scale=1"> | Yes | Pass | - | 100% |
| 35 | <p>Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.</p> <p>Code snapshots of some successful elements</p> <ul style="list-style-type: none"><footer id="footer" class="sec-padding"><section id="footer-widget-area"><div class="thm-container"> <div class="row"> <div class="clearfix col-md-4 col-sm-6 footer-widget-1"> <div cla... <p>Code snapshots of some failed elements</p> <ul style="list-style-type: none"><div class="wpb_wrapper"><section class="vc_cta3-container"><div class="vc_general vc_cta3 vc_cta3-style-classic vc_cta3-shape-square vc_cta3-align-center vc_cta3-color-classic vc_cta3-icon-size-md vc_custom_1586438994750"> <div class="vc_cta3_... | Yes | 1 | 1 | 50% |
| 36 | <p>The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.</p> <p>Code snapshots of some successful elements</p> <ul style="list-style-type: none"><title>All-Connect Logistical Services Inc. Freight Transportation Specialists</title> | Yes | Pass | - | 100% |



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
37	<p>The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.</p> <p>Code snapshots of some successful elements</p> <ul style="list-style-type: none"><code><html lang="en-US" class="js_active vc_desktop vc_transform vc_transform"><head><meta name="acsbToken" content="elrspkcl4p7hIZroYbAMMxBR4PQZ03yZyJQONMrVeiA2FxIKh"><meta name="acsbClient" content="false"><meta content="https://www.allconnect.ca" n...</code>	Yes	Pass	-	100%
38	<p>Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.</p> <p>Code snapshots of some failed elements</p> <ul style="list-style-type: none"><code>Who We Are</code><code>Services and Equipment</code><code><a >Carriers</code><code><a >Resources</code><code><a >Contact Us</code><code><a >News</code>	Yes	0	6	0%
39	<p>Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".</p>	Yes	0	6	0%



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

Code snapshots of some failed elements

- `Who We Are`
- `Services and Equipment`
- `<a >Carriers`
- `<a >Resources`
- `<a >Contact Us`
- `<a >News`

40	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

- `<nav class="main-menu-wrapper sticky slideIn animated"><div class="thm-container menu-gradient "> <div class="clearfix"> <div class="nav-holder pull-left"> <div class="nav-header"> <button ><...`

41	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
----	--	----	---	---	---

42	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
----	---	----	---	---	---



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
43	<p>Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.</p> <p>Code snapshots of some successful elements</p> <ul style="list-style-type: none"><code><div class="owl-prev" style="display: none;" >prev</div></code><code><div class="owl-next" style="display: none;" >next</div></code> <p>Code snapshots of some failed elements</p> <ul style="list-style-type: none"><code><div class="tp-leftarrow tparrows gyges noSwipe" style="top: 50%; transform: matrix(1, 0, 0, 1, 20, -20); left: 0px; visibility: hidden; opacity: 0;" ></div></code><code><div class="tp-rightarrow tparrows gyges noSwipe" style="top: 50%; transform: matrix(1, 0, 0, 1, -60, -20); left: 100%; visibility: hidden; opacity: 0;" ></div></code>	Yes	4	2	67%
44	<p>Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.</p> <p>Code snapshots of some failed elements</p> <ul style="list-style-type: none"><code><div class="owl-dot active" ></div></code><code><div class="owl-dot" ></div></code>	Yes	0	3	0%
45	<p>Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.</p>	Yes	Pass	-	100%



WCAG 2.1 AA Level Web Accessibility Audit

Website: www.allconnect.ca | Verdict : Non-compliant | Date: April 29, 2021

#	Requirement	Relevant	Successes	Failures	Score
---	-------------	----------	-----------	----------	-------

Code snapshots of some successful elements

- `<iframe title="reCAPTCHA" src="https://www.google.com/recaptcha/api2/anchor?ar=1&k=6Ldqa4MUAAAAAH_xx-jytChMKSqKeW_XHR7DK9aJ&co=aHR0cHM6Ly9hY3NiYWwNILmNvbTo0NDM.&hl=en&v=9qx0v7NiOAe_XnW_ULNZm9e3&size=invisible&cb=i6xjbz6aemt0" w...`

46	Making use of an accessibility interface helps to ensure that visually impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
47	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
48	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
49	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-